



MENINGOCOCCAL VACCINE CLINIC

DATE: APRIL 5, 2023

TIME: 11:30-6:30

LOCATION: UNIT 3-1050 LEILA AVE.
SEVEN OAKS COMMUNITY OFFICE

ELIGIBILITY: OPEN TO AGES 2-4 YEARS
OLD

WHY?

DID YOU KNOW THAT IMMUNIZATION RATES OF MENINGOCOCCAL VACCINE HAVE DECREASED BY 14% SINCE 2018?

WE WANT TO PROTECT EVERY CHILD IN MANITOBA AGAINST MENINGOCOCCAL DISEASE

IMMUNIZATION IS ONE OF THE BEST WAYS TO DECREASE THE RISK OF SERIOUS DISEASE



HOW? WALK-IN



Соціальна Служба Громадського Здоров'я
Офіс громади Seven Oaks
Блок 3-1050 Leila Ave Winnipeg, Mb R2P 1W6
T: 204-938-5600 F: 204-938-5609

Регіональний офіс Охорони Здоров'я
міста Вінніпег
Піклуємось про Здоров'я

Чи знаєте ви, що рівень імунізації менінгококової вакциною знизився за останні кілька років?

З 2018 року рівень імунізації, яка захищає від менінгококової інфекції, знизився з 83% до 69%.

Менінгококова інфекція - це бактеріальна інфекція, яка може призвести до менінгіту або септицемії. Це може спричинити важку хворобу, а іноді й смерть. Захворюваність на менінгококову інфекцію в Канаді низька, згідно з даними агентства охорони здоров'я Канади, між 2012 і 2019 роками по всій Канаді було виявлено 983 випадки. Хоча показники менінгококової інфекції низькі, наслідки для інфікованих можуть бути важкими. Імунізація – один із найкращих інструментів для зменшення цих ризиків!

Ми хочемо захистити кожну дитину в Манітобі від менінгококової інфекції, щеплення можна отримати через свого постачальника первинної медичної допомоги або в державній медичній клініці у вашому регіоні.

Клініка Дата Місце та час:

5 КВІТНЯ 2023 РОКУ

11:30-6:30

Офіс громади Seven Oaks

Unit 3-1050 Leila Ave

ਮੈਨਿੰਗੋਕੋਕਸਲ ਟੀਕਾ ਕਲਿਨਿਕ

ਮਿਤੀ: 5 ਅਪ੍ਰੈਲ, 2023

ਸਮਾਂ: 11:30 ਸਵੇਰ ਤੋਂ 6:30 ਸ਼ਾਮ

ਸਥਾਨ: ਯੂਨਿਟ 3 - 1050 ਲੀਲਾ ਐਵਿਨਿਊ, ਸੈਵਨ ਓਕਸ ਇਲਾਕਾ ਦਫ਼ਤਰ

ਯੋਗਤਾ: 2 ਤੋਂ 4 ਸਾਲ ਦੇ ਬੱਚਿਆਂ ਲਈ ਖੁੱਲ੍ਹਾ

ਕਿਉਂ?

ਕੀ ਤੁਸੀਂ ਜਾਣਦੇ ਹੋ ਕਿ ਮੈਨਿੰਗੋਕੋਕਸਲ ਬਿਮਾਰੀ ਦੀ ਟੀਕਾਕਰਨ ਦਰ ਵਿੱਚ ਸੰਨ 2018 ਤੋਂ ਲੈ ਕੇ ਹੁਣ ਤੱਕ 14 ਫੀਸਦੀ ਦੀ ਕਮੀ ਆਈ ਹੈ।

ਅਸੀਂ ਮੈਨੀਟੋਬਾ ਦੇ ਹਰ ਬੱਚੇ ਨੂੰ ਮੈਨਿੰਗੋਕੋਕਸਲ ਬਿਮਾਰੀ ਤੋਂ ਬਚਾਉਣਾ ਚਾਹੁੰਦੇ ਹਾਂ।

ਟੀਕਾਕਰਨ ਇਸ ਗੰਭੀਰ ਬਿਮਾਰੀ ਦਾ ਖ਼ਤਰਾ ਘੱਟ ਕਰਨ ਲਈ ਇੱਕ ਵਧੀਆ ਉਪਾਅ ਹੈ।

ਕਿਵੇਂ? ਉੱਪਰ ਦਿੱਤੇ ਸਮੇਂ ਦੇ ਦਰਮਿਆਨ ਪਹੁੰਚ ਜਾਓ।

Meningococcal Conjugate C (Men-C-C) Vaccine

Public Health – Factsheet

Immunization is one of the most important accomplishments in public health that has, over the past 50 years, led to the elimination, containment and control of diseases that were once very common in Canada.¹ Vaccines help your immune system to recognize and fight bacteria and viruses that cause disease.

What is Meningococcal Disease?

Meningococcal disease is caused by a bacteria. There are several different strains of the meningococcal bacteria with the most common strains being A, B, C, Y and W-135.

Meningococcal infection can lead to meningitis or septicemia (infection of the blood) or both. Symptoms of the disease can develop within two to 10 days of infection. Signs and symptoms of meningococcal disease may include sudden onset of high fever, rash, intense headache, nausea, vomiting, light sensitivity, confusion, and a stiff neck.

Meningococcal disease can cause serious infection and can lead to death, even with quick help from a doctor or nurse. Approximately 10 per cent of people will die from the infection and 10 to 20 per cent of survivors can suffer from permanent brain damage, hearing loss, or loss of their arms or legs.

It is spread easily from person-to-person by coughing, sneezing, kissing, or sharing food, drink, musical instruments, water bottles, cigarettes or other things that have been in the mouth of the person with meningococcal disease.

Treatment is with antibiotics and a person can spread the disease from seven days before symptoms appear up to 24 hours after antibiotic treatment has started. Treatment with antibiotics will not treat any damage that has already occurred. It can only prevent further damage. Prevention of the disease through immunization is recommended.

In Canada, meningococcal disease is reported year round with peaks in winter. Although people at any age can contract meningococcal disease, children younger than five are at greatest risk, followed by people aged 15 to 19 years and 60 years and up. The strains B, C, W-135 and Y are the most commonly reported strains in Canada.

What is the Men-C-C vaccine?

The meningococcal conjugate type C (Men-C-C) vaccine is approved by Health Canada and provides

protection against meningococcal disease that is caused by the type C strain. This vaccine is given by needle.

Why should I get the Men-C-C vaccine?

Immunization is the best way to protect you and your child(ren) against the disease/s that can often be serious and sometimes fatal.

Vaccines help prepare your body to fight potential future exposure to the meningococcal bacteria by getting your immune system ready.

The vaccine helps to protect you, your family, and other people in your community.

Meningococcal vaccines are very effective at preventing disease. To ensure maximum protection against meningococcal disease, it is important to ensure all doses are received based on Manitoba's Recommended Routine Immunization Schedule.

Possible side-effects of the Men-C-C vaccine

It is much safer to get the vaccine than to get meningococcal disease. Health Canada approves vaccines based on a review of quality and safety.

Common reactions to the vaccine include pain, soreness, redness or swelling where the vaccine was given. Other symptoms are fever, headache, and a general feeling of being unwell. These mild reactions typically last one or two days. Acetaminophen (ex. Tylenol®) can be given for fever or soreness.

Acetylsalicylic Acid -ASA (ex. Aspirin®) should NEVER be given to children because it can cause a severe liver and brain disease called Reye's Syndrome.

It is important to stay in the clinic for 15 minutes after getting any vaccine because there is a rare possibility of a severe allergic reaction. This can include hives, difficulty breathing or swelling of the throat, tongue or lips. Call 911 or go to the nearest emergency department for immediate attention should any reaction occur after leaving the clinic.

¹ Public Health Agency of Canada – Canadian Immunization Guide

Meningococcal Conjugate C (Men-C-C) Vaccine

Report any serious or unexpected side-effects to a health care provider.

Who should get the Men-C-C vaccine?

The Men-C-C vaccine is provided free of charge when part of the Manitoba's Immunization Program. It is routinely offered to all children at 12 months of age as part of the Manitoba's infant immunization program.

All children born during or after January 2008 are eligible for one dose of the Men-C-C vaccine.

Those born between 1995 and 2007 should speak with a health care provider or refer to the Immunization Schedule for Not Previously Immunized (www.manitoba.ca/health/publichealth/cdc/div/not.html) to identify if a dose of Men-C-C vaccine and/or Men-C-ACYW-135 vaccine may be required.

If a dose was missed from Manitoba's Recommended Routine Immunization Schedule please see your health care provider to obtain your missed dose.

Patients who are currently under the care of a hematologist or oncologist from CancerCare Manitoba may be at greater risk for meningococcal disease and can get immunized free-of-charge, including those with:

- Malignant neoplasms (solid tissue and haematological) including leukemia and lymphoma, or clonal blood disorder, and who will receive or have completed immunosuppressive therapy including chemo therapy or radiation therapy, or
- hypo- or asplenic (Sickle Cell Disease, etc.)

Speak with your health care provider to see if you are eligible to receive the Men-C-C vaccine free-of-charge as part of the recommended immunization schedule.

Or visit:

The Manitoba Public Health website:

www.manitoba.ca/health/publichealth/cdc/vaccineeligibility.html

Who should not get the Men-C-C vaccine?

Talk to your health care provider if:

- you or your child(ren) have had a severe allergic reaction after receiving a previous dose of this vaccine or if you or your child(ren) are allergic to any contents of the vaccine.

Anyone with high fever should not be immunized. The vaccine can still be given if the illness is mild, like a cold.

Your record of protection

Make sure your immunization provider updates your immunization record card or that of your child(ren), after you receive an immunization. Keep the card in a safe place!

All immunizations administered are recorded on an individual's immunization record in Manitoba's immunization registry. This registry:

- allows the health care provider to find out which immunizations you or your child(ren) have had or need to have;
- may be used to produce immunization records, or notify you or your health care provider if a particular immunization has been missed;
- allows Manitoba Health, Seniors and Active Living and public health officials to monitor how well vaccines work in preventing disease.

If you need information on the immunizations that you or your child(ren) have received, contact your health care provider.

The Personal Health Information Act protects your information and/or that of your child(ren). You can have your personal health information and/or that of your child(ren) hidden from view from health care providers. For additional information, please contact your local public health office or speak with a health care provider.

For a listing of public health offices please visit:

www.manitoba.ca/health/publichealth/offices.html

For more information on the Men-C-C vaccine:

- Talk to your health care provider;
- Call Health Links–Info Santé in Winnipeg at 204-788-8200; toll-free elsewhere in Manitoba 1-888-315-9257; or
- Visit:

Manitoba's Immunization Program website

www.manitoba.ca/health/publichealth/cdc/div/index.html

Government of Canada website

<http://healthycanadians.gc.ca/healthy-living-vie-saine/immunization-immunisation/index-eng.php>

For the most current version or other vaccine factsheets and resources visit:

www.manitoba.ca/health/publichealth/cdc/div/vaccines.html

КЛІНІКА МЕНІНГОКОКОВОЇ ВАКЦИНИ

ДАТА: 5 КВІТНЯ 2023 РОКУ

ЧАС: 11:30-6:30

МІСЦЕ: БЛОК 3-1050 ЛЕЙЛА ПРОСП.

ОФІС ГРОМАДИ SEVEN OAKS: ВІДКРИТИЙ ДЛЯ ВІКУ 2-4 РОКИ

ЧОМУ?

ЧИ ЗНАСТЕ ВИ, ЩО З 2018 РОКУ ІМУНІЗАЦІЯ МЕНІНГОКОКОВОЮ ВАКЦИНОЮ
ЗМЕНШИЛАСЯ НА 14%?

МИ ХОЧЕМО ЗАХИСТИТИ КОЖНУ ДИТИНУ МАНІТОБИ ВІД МЕНІНГОКОКОВОЇ
ХВОРОБИ

ІМУНІЗАЦІЯ – ОДИН ІЗ НАЙКРАЩИХ СПОСОБІВ ЗМЕНШИТИ РИЗИК ВАЖЛИХ
ЗАХВОРЮВАНЬ

ЯК? ЗАХОДИТИ

ਕੀ ਤੁਸੀਂ ਜਾਣਦੇ ਹੋ ਕਿ ਪਿਛਲੇ ਕੁਝ ਸਾਲਾਂ ਤੋਂ ਮੈਨਿੰਨਗੋਕੋਕਸਲ ਬਿਮਾਰੀ ਦੀ ਟੀਕਾਕਰਨ ਦਰ ਵਿੱਚ ਕਮੀ ਆਈ ਹੈ?

ਮੈਨਿੰਨਗੋਕੋਕਸਲ ਬਿਮਾਰੀ ਦੀ ਟੀਕਾਕਰਨ ਦਰ ਜੋ ਕਿ ਸੰਨ 2018 ਵਿੱਚ 83 ਫੀਸਦੀ ਸੀ, ਹੁਣ ਘਟ ਕੇ 69 ਫੀਸਦੀ ਰਹਿ ਗਈ ਹੈ।

ਮੈਨਿੰਨਗੋਕੋਕਸਲ ਬਿਮਾਰੀ ਇੱਕ ਬੈਕਟੀਰੀਅਲ ਲਾਗ ਹੈ ਜੋ ਕਿ ਮੈਨਿੰਗਾਇਟਿਸ ਜਾਂ ਸੈਪਟੀਸੀਮੀਆਂ ਦਾ ਕਾਰਨ ਬਣ ਸਕਦੀ ਹੈ। ਇਹ ਗੰਭੀਰ ਬਿਮਾਰੀ ਜਾਂ ਮੌਤ ਦਾ ਕਾਰਨ ਬਣ ਸਕਦੀ ਹੈ। ਕੈਨੇਡਾ ਵਿੱਚ ਮੈਨਿੰਨਗੋਕੋਕਸਲ ਬਿਮਾਰੀ ਦਾ ਫੈਲਾਅ ਘੱਟ ਹੈ। ਕੈਨੇਡਾ ਦੀ ਜਨਤਕ ਸਿਹਤ ਏਜੰਸੀ ਮੁਤਾਬਕ ਸੰਨ 2012 ਤੋਂ 2018 ਤੱਕ ਕੈਨੇਡਾ ਵਿੱਚ ਇਸਦੇ 883 ਮਾਮਲੇ ਸਾਹਮਣੇ ਆਏ ਹਨ। ਭਾਵੇਂ ਕਿ ਫੈਲਾਅ ਦਰ ਘੱਟ ਹੈ, ਪਰ ਇਸ ਬਿਮਾਰੀ ਦੇ ਮਰੀਜ਼ਾਂ ਨੂੰ ਗੰਭੀਰ ਹਾਲਾਤ ਵਿੱਚੋਂ ਲੰਘਣਾ ਪੈਂਦਾ ਹੈ। ਟੀਕਾਕਰਨ ਇਹ ਖ਼ਤਰਾ ਘੱਟ ਕਰਨ ਦਾ ਸਭ ਤੋਂ ਵਧੀਆਂ ਸਾਧਨ ਹੈ।

ਅਸੀਂ ਮੈਨਿੰਨਗੋਕੋਕਸਲ ਬਿਮਾਰੀ ਤੋਂ ਮੈਨੀਟੋਬਾ ਦੇ ਹਰ ਬੱਚੇ ਨੂੰ ਬਚਾਉਣਾ ਚਾਹੁੰਦੇ ਹਾਂ। ਟੀਕਾਕਰਨ ਤੁਹਾਡੇ ਮੁੱਖ ਸਿਹਤ ਸੇਵਾਵਾਂ ਪ੍ਰਦਾਨ ਕਰਨ ਵਾਲੀ ਸੰਸਥਾ ਜਾਂ ਤੁਹਾਡੇ ਹਲਕੇ ਦੇ ਜਨਤਕ ਸਿਹਤ ਕਲੀਨਿਕ ਤੋਂ ਕਰਵਾਇਆ ਜਾ ਸਕਦਾ ਹੈ।

ਟੀਕਾ ਕਲਿਨਿਕ ਦੀ ਥਾਂ, ਮਿਤੀ ਤੇ ਸਮਾਂ:

ਮਿਤੀ: 5 ਅਪ੍ਰੈਲ, 2023

ਸਮਾਂ: 11:30 – 6:30

ਸਥਾਨ: ਸੈਵਨ ਓਕਸ ਇਲਾਕਾ ਦਫ਼ਤਰ, ਯੂਨਿਟ 3 - 1050 ਲੀਲਾ ਐਵਿਨਿਊ